

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10	580	347/92.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 06:57
S11	0	347/92.ccls. and piezo and reservoir and (gas or air)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 06:58
S13	73	347/92.ccls. and piezoelectric and reservoir and (gas or air)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 06:59
S14	1	347/92.ccls. and piezoelectric and reservoir and (gas or air) and tilt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:52
S16	2	347/84.ccls. and piezoelectric and reservoir and (gas or air) and tilt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:53
S17	103	"347"/\$\$\$ccls. and piezoelectric and reservoir and (gas or air) and tilt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:55
S18	3	"347"/\$\$\$ccls. and (piezoelectric and (gas or air) and (tilt same reservoir))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:56

S21	28	"347"/\$\$\$ccls. and piezoelectric and reservoir and (gas or air) and tilt	US-PGPUB	OR	ON	2008/07/07 07:58
S20	103	"347"/\$\$\$ccls. and piezoelectric and reservoir and (gas or air) and tilt	US-PGPUB; USPAT	OR	ON	2008/07/07 07:58
S19	103	"347"/\$\$\$ccls. and piezoelectric and reservoir and (gas or air) and tilt	US-PGPUB; USPAT; JPO	OR	ON	2008/07/07 07:58
S22	11	"347"/\$\$\$ccls. and ((gas or air) and (tilt same reservoir))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 08:04
S24	22	S23 not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 08:08
S23	33	"347"/\$\$\$ccls. and ((tilt same reservoir))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 08:08
S27	2	"347"/\$\$\$ccls. and (((tilt same means) and reservoir))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 08:09
S28	33	"347"/\$\$\$ccls. and ((tilt same reservoir))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 08:10
S30	89	"347"/\$\$\$ccls. and (((tilt\$4) same reservoir))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 08:21
S46	952	347/85.ccls.	US-PGPUB	OR	ON	2009/12/09 12:33

S48	70	347/85.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or tip or angle or recline) near2 (reservoir or container or tank or bag or cartridge))	US-PGPUB	OR	ON	2009/12/09 13:15
S47	197	347/85.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or tip or angle or recline) with (reservoir or container or tank or bag or cartridge))	US-PGPUB	OR	ON	2009/12/09 13:15
S49	9	347/85.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or tip or angle or recline) (reservoir or container or tank or bag or cartridge)) ((displace \$4 or mov\$3 or adjust \$3) with (pressure or head or height or attitude))	US-PGPUB	WITH	ON	2009/12/09 13:34
S51	19	S50 not S49	US-PGPUB	SAME	ON	2009/12/09 13:38
S50	28	347/85.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or tip or angle or recline) (reservoir or container or tank or bag or cartridge)) ((displace \$4 or mov\$3 or adjust \$3) with (pressure or head or height or attitude))	US-PGPUB	SAME	ON	2009/12/09 13:38
S52	51	347/85.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or tip or angle or recline) (reservoir or container or tank or bag or cartridge)) ((displace \$4 or mov\$3 or adjust \$3) with (pressure or head or height or attitude))	USPAT	SAME	ON	2009/12/09 13:43

S53	3	347/85.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or tip or angle or recline) (reservoir or container or tank or bag or cartridge)) ((displace \$4 or mov\$3 or adjust \$3) with (pressure or head or height or attitude))	USOCR; FPRS; EPO; JPO; DERWENT	SAME	ON	2009/12/09 14:01
S55	6	347/7.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or tip or angle or recline) (reservoir or container or tank or bag or cartridge))	USOCR; FPRS; EPO; JPO; DERWENT	WITH	ON	2009/12/09 15:40
S56	15	347/7.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or tip or angle or recline) (reservoir or container or tank or bag or cartridge)) ((displace \$4 or mov\$3 or adjust \$3) with (pressure or head or height or attitude))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/12/09 15:41
S59	88	347/7.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or angle or recline)near2 (reservoir or container or tank or bag or cartridge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/12/09 15:54
S58	182	347/7.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or angle or recline) (reservoir or container or tank or bag or cartridge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/12/09 15:54
S57	223	347/7.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or tip or angle or recline) (reservoir or container or tank or bag or cartridge))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/12/09 15:54

S60	175	347/7.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or angle or recline) (reservoir or container or tank or bag or cartridge)) not silverbrook.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/12/09 15:57
S61	12	347/6.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or angle or recline) (reservoir or container or tank or bag or cartridge)) not silverbrook.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/12/09 16:02
S63	168	347/86.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or angle or recline)near2 (reservoir or container or tank or bag)) not silverbrook.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/12/09 16:04
S62	570	347/86.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or angle or recline) (reservoir or container or tank or bag)) not silverbrook.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2009/12/09 16:04
S66	562	347/86.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or angle or recline) (reservoir or container or tank or bag)) not silverbrook.as.	US-PGPUB; USPAT	WITH	ON	2009/12/09 19:19
S68	397	S66 not S67	US-PGPUB; USPAT	WITH	ON	2009/12/09 19:20
S67	165	347/86.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or angle or recline)near2 (reservoir or container or tank or bag)) not silverbrook.as.	US-PGPUB; USPAT	WITH	ON	2009/12/09 19:20
S70	105	347/86.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or recline)near2 (reservoir or container or tank or bag)) not silverbrook.as.	US-PGPUB; USPAT	WITH	ON	2009/12/09 19:22

S69	321	347/86.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or recline) (reservoir or container or tank or bag)) not silverbrook. as.	US-PGPUB; USPAT	WITH	ON	2009/12/09 19:22
S71	216	S69 not S70	US-PGPUB; USPAT	WITH	ON	2009/12/09 19:23
S72	49	"347"/\$\$\$\$.ccls. and (((tilt\$3 or inclin\$3 or lean\$3 or recline) with (reservoir or container or tank or bag or cartridge)) ((displace \$4 or mov\$3 or adjust \$3) with (reservoir or container or tank or bag or cartridge) with (pressure or head or height or attitude)))	US-PGPUB; USPAT	WITH	ON	2009/12/09 19:35
S80	23	347/100.ccls. and (oxygen near2 concentration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 20:45
S79	89801	347/100.ccls. (oxygen near2 concentration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 20:45
S81	6	347/84.ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or recline)near2 (reservoir or container or tank or bag)) not silverbrook. as.	US-PGPUB; USPAT	WITH	ON	2009/12/09 22:31
S83	4	((JACOBUS) near2 (DIEDEREN)).INV.	US-PGPUB; USPAT	OR	ON	2009/12/09 22:35
S98	9370	347/84-87,66,94,6,7,14. ccls.	US-PGPUB; USPAT	OR	ON	2010/06/28 18:28

S100	292	347/84-87,66,94,6,7,14. ccls.and ((movable or movably or lift\$3 or displace\$4 or moving) near3 (reservoir or container or tank or bag or cartridge))and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or angle or recline) near2 (reservoir or container or tank or bag or cartridge))	US-PGPUB; USPAT	OR	ON	2010/06/28 18:33
S99	1640	347/84-87,66,94,6,7,14. ccls.and ((movable or movably or lift\$3 or displace\$4 or moving) near3 (reservoir or container or tank or bag or cartridge))	US-PGPUB; USPAT	OR	ON	2010/06/28 18:33
S101	26	("2098524" "3200813" "3469572" "3708798" "4074284" "4126868" "4161670" "4162501").PN. OR ("4277791").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/06/28 19:18
S102	636	347/84-87,66,94,6,7,14. ccls.and ((tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or angle or recline) near2 (reservoir or container or tank or bag or cartridge))	US-PGPUB; USPAT	OR	ON	2010/06/28 19:19
S103	119	347/84-87,66,94,6,7,14. ccls.and ((reservoir or container or tank or bag or cartridge)near3 (tilt\$3 or inclin\$3 or lean \$3 or slop\$3 or slant\$3 or angle or recline) near3 (means or element or unit or member))	US-PGPUB; USPAT	OR	ON	2010/06/28 19:20

S104	69	347/84-87,66,94,6,7,14. ccls.and ((reservoir or container or tank or bag or cartridge)near3 (tilt\$3 or inclin\$3 or lean \$3 or slop\$3 or slant\$3 or angle or recline) near3 (means or element or unit or member))not silverbrook.as.	US-PGPUB; USPAT	OR	ON	2010/06/28 19:21
S106	22	S105 not S104	US-PGPUB; USPAT	OR	ON	2010/06/28 19:25
S105	91	"347"/\$\$\$ccls.and ((reservoir or container or tank or bag or cartridge)near3 (tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or angle or recline)near3 (means or element or unit or member))not silverbrook.as.	US-PGPUB; USPAT	OR	ON	2010/06/28 19:25
S107	0	"347"/\$\$\$ccls.and ((reservoir or container or tank or bag or cartridge)near3 (tilt\$3 or inclin\$3 or lean\$3 or slop\$3 or slant\$3 or angle or recline)near3 (means or element or unit or member))not silverbrook.as.	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/28 19:29
S108	8	((ink)near2 (reservoir or container or tank or bag or cartridge)near3 (tilt\$3 or inclin\$3 or lean \$3 or slop\$3 or slant\$3 or angle or recline) near3 (means or element or unit or member))not silverbrook.as.	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/28 19:30
S109	84	((ink)near2 (reservoir or container or tank or bag or cartridge)near3 (tilt\$3 or inclin\$3 or lean \$3 or slop\$3 or slant\$3 or angle or recline) near3 (means or element or unit or member))not silverbrook.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/28 19:31

S110	33	S109 not S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/28 19:32
S111	33	S110 not S106	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/28 19:33
L4	0	"347"/\$\$\$\$.ccls.and ((reservoir or container or tank or bag) and ((movable or movably or lift\$3 or displace\$4 or moving) near3 (reservoir or container or tank or bag)) and ((tilt\$3 or reclin\$4) near2 (reservoir or container or tank or bag))).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 14:19
L2	0	347/84-87,66,94,6,7,14. ccls.and ((reservoir or container or tank or bag) and ((movable or movably or lift\$3 or displace\$4 or moving) near3 (reservoir or container or tank or bag)) and ((tilt\$3 or reclin\$4) near2 (reservoir or container or tank or bag))). CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 14:19
L6	0	((printer or printhead or print\$1head or recoding\$2head) and (reservoir or container or tank or bag) and ((movable or movably or lift\$3 or displace\$4 or moving) near3 (reservoir or container or tank or bag)) and ((tilt\$3 or reclin\$4) near2 (reservoir or container or tank or bag))).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 14:21

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	347/84-87,66,94,6,7,14. ccls.and ((reservoir or container or tank or bag) and ((movable or movably or lift\$3 or displace\$4 or moving) near3 (reservoir or container or tank or bag)) and ((tilt\$3 or reclin\$4) near2 (reservoir or container or tank or bag))).CLM.	USPAT; UPAD	OR	ON	2010/07/02 14:19
L5	0	"347"/\$\$\$ccls.and ((reservoir or container or tank or bag) and ((movable or movably or lift\$3 or displace\$4 or moving) near3 (reservoir or container or tank or bag)) and ((tilt\$3 or reclin \$4) near2 (reservoir or container or tank or bag))).CLM.	USPAT; UPAD	OR	ON	2010/07/02 14:20
L7	0	((printer or printhead or print\$1head or recoding \$2head) and (reservoir or container or tank or bag) and ((movable or movably or lift\$3 or displace\$4 or moving) near3 (reservoir or container or tank or bag)) and ((tilt\$3 or reclin\$4) near2 (reservoir or container or tank or bag))).CLM.	USPAT; UPAD	OR	ON	2010/07/02 14:21

7/ 2/ 2010 2:25:32 PM

C:\ Documents and Settings\ hlegesse\ My Documents\ EAST\ Workspaces\ 10553103--# 87-
PrintingDevice, Flexible Reservoir& Working Container & Feed System .wsp